



Testing Report


Current Versus Time Charging Graph: -




Voltage Versus Time Charging Graph: -




Capacity Versus Time Charging Graph: -



Battery Temperature Versus Time Charging Graph: -



Discharge Graph w.r.t. Time



Discharge Graph Values w.r.t. Time

T(s)	Vtg(V)	C/n(A)	Pw.(W)	Cap(mAh)	T(s)	Vtg(V)	C/n(A)	Pw.(W)	Cap(mAh)
30	11.64	10.37	120.77	75	1470	10.51	10.37	109.05	4210
90	11.54	10.37	119.72	248	1530	10.49	10.37	108.84	4383
150	11.46	10.37	118.88	418	1590	10.47	10.37	108.64	4556
210	11.4	10.37	118.26	591	1650	10.43	10.37	108.22	4726
270	11.34	10.37	117.63	764	1710	10.41	10.37	108.01	4902
330	11.3	10.37	117.22	937	1770	10.39	10.37	107.8	5072
390	11.24	10.37	116.6	1110	1830	10.37	10.37	107.59	5245
450	11.18	10.37	115.96	1280	1890	10.35	10.37	107.38	5418
510	11.14	10.37	115.55	1453	1950	10.33	10.37	107.17	5588
570	11.08	10.37	114.92	1626	2010	10.29	10.37	106.76	5761
630	11.04	10.37	114.5	1796	2070	10.27	10.37	106.55	5934
690	10.99	10.37	114.07	1969	2130	10.25	10.37	106.34	6107
750	10.93	10.37	113.45	2142	2190	10.23	10.37	106.14	6277
810	10.89	10.37	113.04	2315	2250	10.19	10.37	105.72	6450
870	10.85	10.37	112.61	2488	2310	10.17	10.37	105.51	6623
930	10.81	10.37	112.17	2658	2370	10.13	10.37	105.09	6796
990	10.79	10.37	111.96	2831	2430	10.07	10.37	104.47	6966
1050	10.75	10.37	111.54	3004	2490	10.05	10.37	104.26	7139
1110	10.71	10.37	111.13	3177	2550	10.03	10.37	104.05	7312
1170	10.67	10.37	110.71	3348	2610	9.99	10.37	103.64	7485
1230	10.63	10.37	110.3	3521	2670	9.97	10.37	103.43	7655
1290	10.61	10.37	110.09	3694	2730	9.93	10.37	103	7828
1350	10.57	10.37	109.67	3867	2790	9.89	10.37	102.59	8001
1410	10.55	10.37	109.47	4037	2850	9.85	10.37	102.17	8174